

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963 - A



OFFICE OF NAVAL RESEARCH

Contract N00014-85-AF-00001

Task No. NR 627-793

TECHNICAL REPORT NO. 20

Conductivity, DSC, FTIR, and NMR Studies of Poly(vinyl acetate)

Complexed with Alkali Metal Salts

by

John J. Fontanella and Mary C. Wintersgill

Prepared for Publication

in the

Proceedings of the 5th International Conference on Solid State Ionics

U. S. Naval Academy Department of Physics Annapolis, MD 21402



September 1, 1985

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

THE FILE COOPY

| REPORT DOCUMENTATION PAGE | | BEFORE COMPLETING FORM | | |
|---|-------------------------------|--|--|--|
| 1. REPORT NUMBER | | 3. RECIPIENT'S CATALOG NUMBER | | |
| 20 | H160 430 | / | | |
| Conductivity, DSC, FTIR, and NMR St | udies of | 5. TYPE OF REPORT & PERIOD COVERED | | |
| Poly(vinyl acetate) Complexed with Alkali Metal | | Interim technical report | | |
| | | 6. PERFORMING ORG. REPORT NUMBER | | |
| 7. AUTHOR(a) | | 8. CONTRACT OR GRANT NUMBER(s) | | |
| JOHN J. FONTANELLA & MARY C. WINTERSGILL | | N0001285-AF-00001 | | |
| Performing organization name and address Physics Department | | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS | | |
| U.S. Naval Academy | | | | |
| Annapolis, MD 21402 | | NR No. 627-793 | | |
| 11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research | | 12. REPORT DATE | | |
| Attn. Code 413, 800 N. Quincy St. | | September 1, 1985 | | |
| Arlington, VA 22217 | | 13. NUMBER OF PAGES | | |
| 14. MONITORING AGENCY NAME & ADDRESS(II different | from Controlling Office) | 15. SECURITY CLASS. (of this report) | | |
| | | | | |
| | | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE | | |
| k 0.5701 | | SCHEDULE | | |
| 16. DISTRIBUTION STATEMENT (of this Report) | 2] 0 | | | |
| Approved for public release and s Distribution unlimited. | are | | | |
| biscisbacton antimicea. | | | | |
| | | · | | |
| | | | | |
| 17. DISTRIBUTION STATEMENT (cf the abetract entered t | n Block 20, if different from | m Report) | | |
| | | | | |
| | | | | |
| | | | | |
| 18. SUPPLEMENTARY NOTES | | | | |
| | | | | |
| | | i | | |
| | | | | |
| 19. KEY WORDS (Continue on reverse side if necessary and | identify by block number) | | | |
| poly(vinyl acetate), electrical conductivity, differential scanning | | | | |
| calorimetry, nuclear magnetic res | onance | _ | | |
| | | | | |
| | | | | |
| 20. APSTRACT (Continue on reverse side if necessary and | identify by block number) | | | |
| Electrical conductivity, differential scanning calorimetry, and nuclear | | | | |
| magnetic resonance studies have been carried out on poly(vinyl acetate) after the addition of various lithium salts. In the case of lithium | | | | |
| triflate the resultant notement | in num saits. In | the case of lithium | | |
| triflate, the resultant polymer conductivites are observed after | initial prepara | tion. but these decrease | | |
| with time when the material is in | n vacuum. The c | onductivities exhibit ! | | |
| approximately Arrhenius behavior | and increases w | ith salt concentration. | | |

FORM 1 JAN 73 EDITION OF 1 NOV 65 IS OBSOLETE

S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

In addition to the conductivity, NMR, FTIR, and DSC results are presented. All results are interpreted in terms of the model of Wissbrun and Hannon where water is the solvating species.



| Access | ion Fo | <u> </u> | | |
|--------|----------|----------|-----|---|
| NTIS | | | D | _ |
| DTIC 3 | | | | |
| Unann | ounced | | | |
| Justi | cicatio. | n | | _ |
| By | P CAC | | MO | - |
| Aval | labilit | y C | | _ |
| | Avail | | or | |
| Dist | Spec | ial | | |
| A-1 | | | ٠٠, | |

CONDUCTIVITY, DSC, FTIR, AND NMR STUDIES OF POLY(VINYL ACETATE) COMPLEXED WITH ALKALI METAL SALTS*

M. C. WINTERSGILL, J. J. FONTANELLA, J. P. CALAME, M. K. SMITH

Physics Department, U. S. Naval Academy, Annapolis, MD, USA 21402

Taylor B. JONES

Chemistry Department, U. S. Naval Academy, Annapolis, MD, USA 21402

S. G. GREENBAUM, K. J. ADAMIĆ, A. N. SHETTY

Hunter College of CUNY, New York, NY, USA 10021

C. G. ANDEEN

Case Western Reserve University, Cleveland, OH, USA 44106

Electrical conductivity, differential scanning calorimetry, and nuclear magnetic resonance studies have been carried out on poly(vinyl acetate) after the addition of various lithium salts. In the case of lithium triflate, the resultant polymer is poly(vinyl alcohol). Relatively large conductivites are observed after initial preparation, but these decrease with time when the material is in vacuum. The conductivities exhibit approximately Arrhenius behavior and increases with salt concentration. In addition to the conductivity, NMR, FIIR, and DSC results are presented. All results are interpreted in terms of the model of Wissbrun and Hannon where water is the solvating species.

1. INTRODUCTION

Poly(vinyl acetate) (PVAc) is known to form complexes with inorganic salts. Further, PVAc forms blends: with the classic ion conducting polymer, poly(ethylene oxide) (PEO). Consequently, new studies of the properties of ion containing PVAc have been undertaken. A preliminary note describing some of the properties of PVAc containing LiClO₄ has been published previously. In addition, Armstrong and Clarke have recently reported the electrical properties of salts in co-polymers of PVAc and poly(ethylene adipate). In the present paper, various properties of PVAc after the addition of several lithium salts are reported.

2. EXPERIMENT

The PVAc (MW 1.5×10^6) was obtained from Polysciences, Inc. All of the sample preparation procedures were carried out in a dry box or vacuum oven. The polymer and salts, LiCF $_3$ SO $_3$, LiClO $_4$, and LiSCN were dissolved in

methanol at about 55° C and cast onto a teflon plate in a glass retaining ring. The samples were initially dried at room temperature in flowing dry nitrogen and then were transferred to a rough pumped vacuum oven for final drying at about 65° C. For all salts except LiCF $_3$ SO $_3$, the result was a clear film. For LiCF $_3$ SO $_3$ a white precipitate was obtained which was vacuum dried and hot-pressed at about 100° C into a disk 25.4 mm in diameter and 1 mm thick. A clear, amber sample was obtained.

All DSC and electrical measurements were carried out using the equipment described elsewhere. The resultant complex impedance plots were similar to that shown in fig. 1 of ref. 5 and the techniques used to reduce the data are the same as in ref. 5. Some resultant conductivities are plotted in fig. 1 for various samples. Infrared (FTIR) data were obtained using a Perkin Elmer 1750 Infrared fourier Transform Spectrometer. Thin samples were obtained by casting films on either AgC1.

^{*}Work supported in part by the Office of Naval Research, the Naval Academy Research Council, and the CUNY PSC-CUNY Research Award Program.

FIGURE 1
Electrical conductivity vs. reciprocal temperature for: (a) PVAc:LiSCN (1:1); (b) PVAc:LiSCN (2:1); (c) PVOH:LiCF₃SO₃.

AgBr, NaCl, or KCl windows which were dried in a vacuum oven. Nuclear magnetic resonance studies (NMR) were carried out using standard NMR pulse techniques. The samples were sealed in quartz tubes.

3. RESULTS AND DISCUSSION 3.1. LiSCN

As shown in fig. 1, all the samples containing LiSCN are conductive at high temperatures with the conductivity increasing as the amount of salt increases. In the case of LiSCN complexed materials, the maximum polymer:salt ratio was about 1:1. It is apparent that the conductivity for that material is quite high, reaching almost 10^{-3} (ohm-cm)⁻¹ at about 100° C.

The increase in the conductivity with concentration is in marked contrast to the polyethers where the conductivity goes through a maximum at fairly low salt concentrations. Next, when the materials are placed in a vacuum, the conductivity tends to decrease with time. A plot of the time dependence is shown in fig. 2. This immediately suggests that water is somehow associated with the conductivity. As seen by the FTIR traces in fig. 3, there are traces of water present even though extensive efforts were made to eliminate it.




FIGURE 2 Electrical conductivity vs. time at 300K in vacuum for PVAc:LiSCN (2:1).

Further information concerning water in the samples is given by the DSC results shown in fig. 4 for a 2:1 sample. For comparison, DSC traces for both the host polymer and LiSCN are shown in fig. 5. If the polymer is exposed to the atmosphere for a very short amount of time, the glass transition temperature, $T_{\rm g}$, drops. For example, fig. 4 shows that a typical dry box sample has a $T_{\rm g}$ of about 20°C but this drops to about -15°C after being exposed to the atmosphere for about 1/2 hour.

Consequently, one factor contributing to the increase in conductivity is the decrease in T_g . However, classic amorphous behavior is not observed since, as is apparent from fig. 1, the conductivity vs. temperature plots are Arrhenius. Note that the results shown in fig. 1 do not take the time dependence of the conductivity into account, and thus the shape of the curves is uncorrected for this factor. However, those effects are relatively small over the duration of a data run.

Next, the FTIR results in fig. 3 show that the carbonyl frequency decreases in wave number from 1737 cm⁻¹ for uncomplexed PVAc to 1708 cm⁻¹ for the 2:1 and 1:1 material. Also, the ether frequency increases from 1240 cm⁻¹ to 1278 and 1284 cm⁻¹ for the 2:1 and 1:1

ige ----

- ينهييو




FIGURE 3
FTIR absorption spectra for: (a) uncomplexed PVAc; (b) PVAc:LiSCN (2:1), initially prepared; (c) PVAc:LiSCN (1:1), after drying at 120°C for 24 h; (d) Sample (c) after exposure to the atmosphere for 1 h; (e) PVAc:LiClO+ (4:1), initially prepared; (f) material which results from adding LiCF₃SO₃ to PVAc.

material, respectively.

This behavior is consistent with the model proposed by Wissbrun and Hannon for PVAc polymer-salt complexes shown to the right.

if the complexed phase is relatively non-conducting. Specifically, it is proposed that while water may be necessary for the complexation, excess water destroys it increasing the conductivity. Some evidence in favor of this model is contained in fig. 3 where the spectrum for a "wet" 1:1 sample is shown. Both the shifts in the carbonyl and ether frequencies are reduced by excess water indicating that the complexation is eliminated by excess water. The result is a highly conducting aqueous solution bound by the polymer.

The conductivity can be reduced even faster by heating to about 110° C in a vacuum. In fact, the conductivity for a 1:1 sample left at 120°C in a vacuum for 48 hours was 104 lower than the initially prepared material. Part of the reason for the drop is shown in fig. 4c which shows a very high T_g of about 90°C. However, the samples also turn dark irreversibly suggesting decomposition. The FTIR results for the low conductivity PVAc containing LiSCN shown in fig. 3 suggest the mechanism for the decomposition. Specifically, IR absorption is induced at about 1600 cm⁻¹ and it appears that the acetate absorption decreases. Consequently, it is suggested that elevated temperatures may affect pyrolysis with the concomitant loss of acetic acid since the induced absorption occurs at about the position expected for an olefin. On the basis of the model described above, the cations would then be released. The conductivity would then be lowered even more rapidly than is expected on the basis of increased loss of water at high temperature if significant ion pairing subsequently takes place.

However, the nature of the charge carriers in PVAc has not yet been unambiguously identified. In fact, there has been a report of electronic conductivity in iodine containing PVAc? In that case the temperature dependence did not resemble that observed in the present work. The pressure dependence of the conductivity gives some information concerning the nature of the charge carriers. Such experiments have been carried out and a value

-

.

-




FIGURE 4
DSC thermograms for PVAc:LiSCN (2:1): (a)
initially prepared; (b) after exposure to the
atmosphere for 0.5 h; (c) after drying at 120°C
for 24 h.

of $d \ln G/d P = -9.8/G Pa$ is obtained which is on the order of that observed in the polyethers^{5,8} and thus ionic conduction is inferred.

3.2. LiC104

The electrical conductivity in PVAc containing LiClO₄ also shows Arrhenius behavior as is apparent in fig. 1 of ref. 3. It was found that 4:1 material had a larger conductivity, however, higher concentrations were not tested. As is apparent from the FTIR traces in fig. 3, traces of water were present and thus the comments concerning the conductivity mechanism are the same as discussed above for PVAc:LiSCN.

In order to gain further information concerning the nature of these materials, NMR studies have been performed. Previous ^7Li NMR measurements on 8:1 material demonstrated classic motional narrowing above room temperature, reflecting a corresponding increase in chain and ion mobility. Spin-lattice relaxation (T_1) data, obtained using a steady state $(\pi/2-\pi)_n$ pulse sequence, at a ^7Li frequency of 155 MHz for both 8:1 and 4:1 are displayed in fig. 6a. The relaxation behaviors of both materials exhibit strong similarities, with one important exception. At lower temperatures, the 4:1 recovery profile indicates the presence





FIGURE 5
DSC thermograms for two of the starting materials used in the present work.

of at least two separate processes which differ in T_1 by an order of magnitude. For example, the 4:1 data at 234K, 263K, and 273K are best fit by two T₁ values: 59s, 8.2s (234K); 51s, 5.9s (263K); and 51s, 4.7s (273K). At higher temperatures (₹330K) the difference between the two T₁'s becomes less pronounced; for example the data at 405K are consistent with separate T_1 values of 4+2s and 1s. The 4:1 T_1 data in fig. 6a represent only the shorter values extracted from the recovery curves. Although slightly nonexponential relaxation was noted in the earlier 8:1 work, 3 single-valued T₁'s were still obtainable. A comparison of the recovery profiles of 8:1 and 4:1 at similar temperatures, shown in fig. 6b, demonstrates the important qualitative difference between the two materials. Different T_1 's in the same sample (4:1) suggest the possibility of different Li-sites in the polymer complex. The presence of more than one Li-site in 4:1 is consistent with the model proposed above assuming the presence of excess water in the samples, the two sites being complexed and uncomplexed Li. The FTIR results shown in fig. 3 for the 4:1 material indicate that complexation takes place in that the carbonyl region is composed both of an unshifted (1734 cm^{-1})







FIGURE 6 (a) 7 Li 7 Li 7 Li 7 Li values for PVAc:LiClO $_{4}$ 4:1 (o) (only the shorter 7 Li sincluded) and 8:1 (o). Least squares fits to the data yield activation energies of 0.11 eV for 4:1 and 0.14 eV for 8:1. (b) 7 Li recovery profiles for 4:1 (o) at 254K and 8:1 (o) at 256K.

and a shifted (1708 cm⁻¹) peak. In addition, the ether absorption is complicated. It will be of interest to perform high resolution NMR measurements (i.e. magic angle spinning) in order to resolve the two sites structurally.

The temperature dependence of the ⁷L1 line-widths of 4:1 and 8:1 are shown in fig. 7. Both materials exhibit a comparable degree of



رزر بطخة

FIGURE 7

7Li linewidth temperature dependence for PVAc: LiClO₄ 4:1 (o) and 8:1 (o).

motional narrowing above 320K. The rigid $(T_{\sim}220K)$ linewidths in the two samples are also comparable. The 7Li lineshape in the polymer complex is attributable primarily to the nuclear dipole-dipole interaction between 7Li and 1H (heteronuclear) and between 7Li and 7Li (homonuclear); where other possible interactions such as $^7Li-^6Li$ or $^7Li-^{13}C$ have been neglected. Careful measurements of $\pi/2$ pulse widths (relative to a liquid standard) and the absence of structures in the lineshapes suggest a negligibly small nuclear quadrupole interaction which, in turn, implies a highly symmetric environment for the Li+ ions. 9

It is possible to distinguish homonuclear from heteronuclear contributions to the linewidths simply by measuring the spin-spin relaxation time (T₂), where $\Delta\nu$ (hom) $\simeq 1/\pi T_2$. Rigid (T=178K) T₂ values have been obtained for 4:1 (320 s) and 8:1 (410 s), using a Carr-Purcell-Meiboom-Gill pulse sequence. These results can be used in conjunction with a standard second moment formalism¹⁰ to deduce an average Li-Li separation, d_{Li}, in the complexes. The second moment contains the factor $\frac{\Sigma}{k}1/r_{jk}^6$ where r_{jk}

are the internuclear distances. For simple cubic symmetry the summation reduces to 8.5d^{-b} where d is the lattice constant. Although there is no compelling physical justification for using this simple expression in our calculations, we have chosen to do so on the basis that departures from the numerical factor 8.5 will be reduced by the sixth root in the final result for d_{Li}. We obtain d_{Li}≃4.7A for 8:1 and d_{L_1} =4.3A for 4:1. Note that the T_2 measurements in 4:1 were performed so as not to saturate the long T_1 component, which would have yielded an erroneously longer T2. The observation that T_2 does not quite scale with Li-concentration in the two complexes implies that the Li is not uniformly or randomly distributed in the polymer matrix.

3.2. LiCF3SO3

Finally, the results for the conductivity of the as-prepared material obtained after adding LiCF₃SO₃ to PVAc are also shown in fig. 1. Once again the conductivities are reasonably high. However, that material also exhibits time dependence when placed in a vacuum.

In order to determine the nature of the material FTIR studies were also carried out and the results are shown in fig. 4. Clearly, the material is not PVAc. In fact, the FTIR studies indicate that the new material is probably poly(vinyl alcohol) (PVOH). Presumably, the triflate ion is sufficiently nucleophilic to remove the acetate moiety leaving lithium alkoxide at those locations where acetate cleavage occurs. That is not surprising as Wissbrun and Hannon studied complexing of salts with PVOH and found that the results were quite similar to that observed for PVAc. 1

4. CONCLUSIONS

In summary, then, the electrical properties of PVAc complexed with lithium salts have been studied. In the case of LiCF $_3$ SO $_3$, the resultant polymer is PVOH. Relatively large conductivites are observed after initial

preparation, but decrease with time when the material is in vacuum. Approximately Arrhenius behavior is observed and the conductivity increases with concentration of salt. In addition, NMR, FTIR, and DSC results have been presented. All results are interpreted in terms of the model of Wissbrun and Hannon where water is the solvating species.

ACKNOWLEDMENTS

The authors would like to thank John Schultz for help with the data acquisition.

REFERENCES

- K.F. Wissbrun and M.J. Hannon, J. Polymer Sci.: Polymer Phys. Ed. 13 (1975) 223.
- N.K. Kalfoglou, J. Polymer Sci.: Polymer Phys. Ed. 20 (1982) 1259.
- M.C. Wintersgill, J.J. Fontanella, J.P. Calame, S.G. Greenbaum, and C.G. Andeen, J. Electrochem. Soc. 131 (1984) 2208.
- R. D. Armstrong and M. D. Clarke, Electrochimica Acta. 29 (1984) 1443.
- J.J. Fontanella, M.C. Wintersgill, J.P. Calame, M.K. Smith, and C.G. Andeen, DSC and high pressure conductivity and electrical relaxation in PPO and PPO complexed with lithium salts, this volume.
- P.M. Blonsky, D.F. Shriver, P. Austin, and H.R. Allcock, J. Am. Chem. Soc. 106 (1984) 6854.
- P.C. Mehendru, N.L. Pathak, K. Jain, and P. Mehendru, Phys. Stat. Sol. (a) 42 (1977) 403.
- J.J. Fontanella, M.C. Wintersgill, J.P. Calame, F.P. Pursel, D.R. Figueroa, and C.G. Andeen, Solid State Ionics 9&10 (1983) 1139.
- S.G. Greenbaum and J.J. Fontanella, in Relaxation in Complex Systems, eds. K.L. Ngai and G.B. Wright (NTIS, Springfield, VA, 1984) pp. 211-219.
- A. Abragam, Principles of Nuclear Magnetism (Oxford, U.K., 1978) p. 111.

Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003

Dr. P. J. Hendra
Department of Chemistry
University of Southampton
Southampton SO9 5NH
United Kingdom

Dr. J. Driscoll Lockheed Palo Alto Research Laboratory 3251 Hanover Street Palo Alto, California 94304

Dr. D. N. Bennion
Department of Chemical Engineering
Brigham Young University
Provo, Utah 84602

Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125

Dr. J. J. Auborn
Bell Laboratories
Murray Hill, New Jersey 07974

Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135

Dr. P. P. Schmidt
Department of Chemistry
Oakland University
Rochester, Michigan 48063

Dr. Manfred Breiter Institut fur Technische Elektrochemie Technischen Universitat Wien 9 Getreidemarkt, 1160 Wien AUSTRIA Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. C. E. Mueller The Electrochemistry Branch Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910

Dr. Sam Perone
Chemistry & Materials
Science Department
Lawrence Livermore National Laboratory
Livermore, California 94550

Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514

Dr. B. Brummer EIC Incorporated 111 Downey Street Norwood, Massachusetts 02062

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706

Library
Duracell, Inc.
Burlington, Massachusetts 01803

Electrochimica Corporation 20 Kelly Court Menlo Park, California 94025-1418

TECHNICAL REPORT DISTRIBUTION LIST, GEN

| <u>(</u> | No. Copies | | No. Opi |
|--|---------------|--|------------|
| Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217 | 2 | Dr. David Young Code 334 NORDA NSTL, Mississippi 39529 | 1 |
| Dr. Bernard Douda Naval Weapons Support Center Code 5042 Crane, Indiana 47522 | 1 | Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555 | 7 |
| Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360 | 1 | Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380 | 1 |
| Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401 | 1 | U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Trangle Park, NC 27709 | 1 |
| Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314 | 12 | Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112 | 1 |
| DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401 | 1 | Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232 | 1 |
| Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375 | 1 | | |

Dr. M. Wrighton
Chemistry Department
Massachusetts Institute
of Technology
Cambridge, Massachusetts 02139

Dr. B. Stanley Pons
Department of Chemistry
University of Utah
Salt Lake City, Utah 84112

Donald E. Mains
Naval Weapons Support Center
Electrochemical Power Sources Division
Crane, Indiana 47522

S. Ruby
DOE (STOR)
Room 5E036 Forrestal Bldg., CE-14
Washington, D.C. 20595

Dr. A. J. Bard Department of Chemistry University of Texas Austin, Texas 78712

Dr. Janet Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910

Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840

Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709

Dr. Aaron Fletcher Naval Weapons Center Code 3852 China Lake, California 93555 Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California

Dr. Michael J. Weaver Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. R. David Rauh EIC Laboratories, Inc. 111 Downey Street Norwood, Massachusetts 02062

Dr. Aaron Wold Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton SO9 5NH ENGLAND

Dr. R. A. Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. John Wilkes
Air Force Office of Scientific
Research
Bolling AFB
Washington, D.C. 20332

Dr. R. Nowak Naval Research Laboratory Code 6171 Washington, D.C. 20375

Dr. D. F. Shriver
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Hector D. Abruna Department of Chemistry Cornell University Ithaca, New York 14853

Dr. A. B. P. Lever Chemistry Department York University Downsview, Ontario M3J1P3

Dr. Stanislaw Szpak Naval Ocean Systems Center Code 633, Bayside San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science
and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

M. L. Robertson
Manager, Electrochemical
and Power Sources Division
Naval Weapons Support Center
Crane, Indiana 47522

Dr. T. Marks
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210

Dr. Lesser Blum
Department of Physics
University of Puerto Rico
Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Nathan Lewis Department of Chemistry Stanford University Stanford, California 94305 Dr. D. H. Whitmore
Department of Materials Science
Northwestern University
Evanston, Illinois 60201

Dr. Alan Bewick Department of Chemistry The University of Southampton Southampton, SO9 5NH ENGLAND

Dr. E. Anderson NAVSEA-56Z33 NC #4 2541 Jefferson Davis Highway Arlington, Yirginia 20362

Dr. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns
Energy & Environment Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Dr. Richard Pollard Department of Chemical Engineering University of Houston Houston, Texas 77004

Dr. M. Philpott IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Donald Sandstrom Boeing Aerospace Co. P.O. Box 3999 Seattle, Washington 98124

Dr. Carl Kannewurf
Department of Electrical Engineering
and Computer Science
Northwestern University
Evanston, Illinois 60201

Dr. Joel Harris Department of Chemistry University of Utah Salt Lake City, Utah 84112

Dr. Robert Somoano Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91103

Dr. Johann A. Joebstl
USA Mobility Equipment R&D Command
DRDME-EC
Fort Belvoir, Virginia 22060

Dr. Judith H. Ambrus NASA Headquarters M.S. RTS-6 Washington, D.C. 20546

Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 6B025 Forrestal Building Washington, D.C. 20595

Dr. J. J. Brophy Department of Physics University of Utah Salt Lake City, Utah 84112

Dr. Charles Martin Department of Chemistry Texas A&M University College Station, Texas 77843

Dr. H. Tachikawa Department of Chemistry Jackson State University Jackson, Mississippi 39217

Dr. Theodore Beck Electrochemical Technology Corp. 3935 Leary Way N.W. Seattle, Washington 98107

Dr. Farrell Lytle
Boeing Engineering and
Construction Engineers
P.O. Box 3707
Seattle, Washington 98124

Dr. Robert Gotscholl U.S. Department of Energy MS G-226 Washington, D.C. 20545 Dr. Edward Fletcher Department of Mechanical Engineering University of Minnesota Minneapolis, Minnesota 55455

Dr. John Fontanella
Department of Physics
U.S. Naval Academy
Annapolis, Maryland 21402

Dr. Martha Greenblatt
Department of Chemistry
Rutgers University
New Brunswick, New Jersey 08903

Dr. John Wasson Syntheco, Inc. Rte 6 - Industrial Pike Road Gastonia, North Carolina 28052

Dr. Walter Roth
Department of Physics
State University of New York
Albany, New York 12222

Dr. Anthony Sammells Eltron Research Inc. 4260 Westbrook Drive, Suite 111 Aurora, Illinois 60505

Dr. C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. Thomas Davis
Polymer Science and Standards
Division
National Bureau of Standards
Washington, D.C. 20234

Ms. Wendy Parkhurst
Naval Surface Weapons Center R-33
R-33
Silver Spring, Maryland 20910

Dr. John Owen
Department of Chemistry and
Applied Chemistry
University of Salford
Salford M5 4WT ENGLAND

Dr. Boone Owens
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. J. O. Thomas University of Uppsala Institute of Chemistry Box 531 S-751 21 Uppsala, Sweden Dr. O. Stafsudd Department of Electrical Engineering University of California Los Angeles, California 90024

Dr. S. G. Greenbaum Department of Physics Hunter College of CUNY New York, New York 10021

Dr. Menahem Anderman W.R. Grace & Co. Columbia, Maryland 20144

END

FILMED

12-85

DTIC